



**Note:-**

- 1) Wiring to be in accordance with current IEE regulations
- 2) Refer also to the fitting and wiring instructions for the fans and controllers

**Control description:-**

Sentinel Kinetic switching from trickle to Boost by two trickle/boost switch, or cooker hood switch.

|       |         |           |       |
|-------|---------|-----------|-------|
| A     | INITIAL | 11.6.2009 | STAU  |
| ISSUE | MOD     | DATE      | CHK'D |

|                          |  |   |              |                                    |            |      |       |   |
|--------------------------|--|---|--------------|------------------------------------|------------|------|-------|---|
| ORIGINAL DRAWING SIZE A3 | ALL DIMENSIONS IN MILLIMETRES TOLERANCES UNLESS OTHERWISE SPECIFIED:-<br>±0.5 ON NOMINAL DIMENSIONS<br>±0.2 ON 1 DECIMAL PLACE DIMENSIONS<br>±0.1 ON 2 DECIMAL PLACE DIMENSIONS<br>±0.1 ON HOLE DIAMETERS ETC<br>±1.0 DEGREE ON ANGULAR DIMENSIONS | This drawing/document is COPYRIGHT and the property of VENT-AXIA Ltd.<br>It must not be copied (in whole or in part), used for manufacture or otherwise disclosed without prior written consent of the company.<br>Any copies of this drawing/document made by any method must also include a copy of this legend.<br>© VENT-AXIA Ltd. 2002 | DRAWN DGBSON | DATE 11.6.2009                     | CHK'D      | DATE | TITLE |   |
|                          |  |   | MATERIAL -   | Wiring Diagram Sentinel Kinetic    |            |      |       |   |
|                          |  |   | FINISH -     | 2 Trickle/boost switch Remote C.H. |            |      |       |   |
|                          |  |   | PRODUCT      | SCALE -                            | PART No    |      |       |   |
|                          |  |   | PROJECTION   |                                    | DRG 442312 |      |       | A |